

# General Plan Safety Element Assessment

## Board of Forestry and Fire Protection



June 2020

# Contents

- Purpose and Background ..... 1
- Methodology for Review and Recommendations ..... 2
- General Plan Safety Element Assessment ..... 3
  - Background Information Summary ..... 3
  - Goals, Policies, Objectives, and Feasible Implementation Measures ..... 5
    - Section 1 Avoiding or minimizing the wildfire hazards associated with new uses of land ..... 5
    - Section 2 Develop adequate infrastructure if a new development is located in SRAs or VHFHSZs..... 9
    - Section 3 Working cooperatively with public agencies responsible for fire protection. .... 10
- Sample Safety Element Recommendations..... 12
  - A. Maps, Plans and Historical Information ..... 12
  - B. Land Use ..... 12
  - C. Fuel Modification..... 12
  - D. Access ..... 13
  - E. Fire Protection ..... 13
- Fire Hazard Planning in Other Elements of the General Plan..... 14
  - Land Use Element..... 14
  - Housing Element..... 14
  - Open Space and Conservation Elements..... 14
  - Circulation Element ..... 14

## Purpose and Background

Upon the next revision of the housing element on or after January 1, 2014, the safety element is required to be reviewed and updated as necessary to address the risk of fire for land classified as state responsibility areas and land classified as very high fire hazard severity zones. (Gov. Code, § 65302, subd. (g)(3).)

The safety element is required to include:

- Fire hazard severity zone maps available from the Department of Forestry and Fire Protection.
- Any historical data on wildfires available from local agencies or a reference to where the data can be found.
- Information about wildfire hazard areas that may be available from the United States Geological Survey.
- The general location and distribution of existing and planned uses of land in very high fire hazard severity zones (VHFHSZs) and in state responsibility areas (SRAs), including structures, roads, utilities, and essential public facilities. The location and distribution of planned uses of land shall not require defensible space compliance measures required by state law or local ordinance to occur on publicly owned lands or open space designations of homeowner associations.
- The local, state, and federal agencies with responsibility for fire protection, including special districts and local offices of emergency services. (Gov. Code, § 65302, subd. (g)(3)(A).)

Based on that information, the safety element shall include goals, policies, and objectives that protect the community from the unreasonable risk of wildfire. (Gov. Code, § 65302, subd. (g)(3)(B).) To carry out those goals, policies, and objectives, feasible implementation measures shall be included in the safety element, which include but are not limited to:

- Avoiding or minimizing the wildfire hazards associated with new uses of land.
- Locating, when feasible, new essential public facilities outside of high fire risk areas, including, but not limited to, hospitals and health care facilities, emergency shelters, emergency command centers, and emergency communications facilities, or identifying construction methods or other methods to minimize damage if these facilities are located in the SRA or VHFHSZ.
- Designing adequate infrastructure if a new development is located in the SRA or VHFHSZ, including safe access for emergency response vehicles, visible street signs, and water supplies for structural fire suppression.
- Working cooperatively with public agencies with responsibility for fire protection. (Gov. Code, § 65302, subd. (g)(3)(C).)

The safety element shall also attach or reference any fire safety plans or other documents adopted by the city or county that fulfill the goals and objectives or contains the information required above. (Gov. Code, § 65302, subd. (g)(3)(D).) This might include Local Hazard Mitigation Plans, Unit Fire Plans, Community Wildfire Protection Plans, or other plans.

There are several reference documents developed by state agencies to assist local jurisdictions in updating their safety elements to include wildfire safety. The Fire Hazard Planning, General Plan Technical Advice Series from the Governor's Office of Planning and Research (OPR), referenced in Government Code section 65302, subdivision (g)(3) and available at

1400 Tenth Street  
Sacramento, CA 95814  
Phone: (916) 322-2318

The Technical Advice Series is also available from the OPR website ([Technical Advice Series link](#)).<sup>\*</sup> The Technical Advice Series provides policy guidance, information resources, and fire hazard planning examples from around California that shall be considered by local jurisdictions when reviewing the safety element of its general plan.

The Board of Forestry and Fire Protection (Board) utilizes this Safety Element Assessment in the Board's review of safety elements under Government Code section 65302.5. At least 90 days prior to the adoption or amendment of their safety element, counties that contain SRAs and cities or counties that contain VHFHSZs shall submit their safety element to the Board. (Gov. Code, § 65302.5, subd. (b).) The Board shall review the safety element and respond to the city or county with its findings regarding the uses of land and policies in SRAs or VHFHSZs that will protect life, property, and natural resources from

unreasonable risks associated with wildfires, and the methods and strategies for wildfire risk reduction and prevention within SRAs or VHFHSZs. (Gov. Code, § 65302.5, subd. (b)(3).)

The CAL FIRE Land Use Planning team provides expert fire protection assistance to local jurisdictions statewide. Fire captains are available to work with cities and counties to revise their safety elements and enhance their strategic fire protection planning.

## **Methodology for Review and Recommendations**

Utilizing staff from the CAL FIRE Land Use Planning team, the Board has established a standardized method to review the safety element of general plans. The methodology includes

- 1) reviewing the safety element for the requirements in Government Code section 65302, subdivision (g)(3)(A),
- 2) examining the safety element for goals, policies, objectives, and implementation measures that mitigate the wildfire risk in the planning area (Gov. Code, § 65302, subd. (g)(3)(B) & (C)), and
- 3) making recommendations for methods and strategies that would reduce the risk of wildfires (Gov. Code, § 65302.5, subd. (b)(3)(B)).

The safety element will be evaluated against the attached Assessment, which contains questions to determine if a safety element meets the fire safety planning requirements outlined in Government Code, section 65302. The reviewer will answer whether or not a submitted safety element addresses the required information, and will recommend changes to the safety element that will reduce the wildfire risk in the planning area. These recommended changes may come from the list of sample goals, policies, objectives, and implementation measures that is included in this document after the Assessment, or may be based on the reviewer's knowledge of the jurisdiction in question and their specific wildfire risk. By answering the questions in the Assessment, the reviewer will determine if the jurisdiction's safety element has adequately addressed and mitigated their wildfire risk. If it hasn't, any specific recommendations from the reviewer will assist the jurisdiction in revising the safety element so that it does.

Once completed, the Assessment should provide clear guidance to a city or county regarding any areas of deficiency in the safety element as well as specific goals, policies, objectives, and implementation measures the Board recommends adopting in order to mitigate or reduce the wildfire threat in the planning area.

## General Plan Safety Element Assessment

Jurisdiction: Yucca Valley	Notes: Formal Review	CAL FIRE Unit: BDU	Date Received: 08/05/2021
County: San Bernardino	LUPP Reviewer: Shelley Redden	UNIT CONTACT: Janssen	Date Reviewed: 08/05/2021

### BACKGROUND INFORMATION SUMMARY

The safety element must contain specific background information about fire hazards in each jurisdiction.

*Instructions for this table: Indicate whether the safety element includes the specified information. If YES, indicate in the comments where that information can be found; if NO, provide recommendations to the jurisdiction regarding how best to include that information in their revised safety element.*

Required Information	Yes or No	Comments and Recommendations
Are Fire Hazard Severity Zones Identified? <i>CAL FIRE or Locally Adopted Maps</i>	Yes	Figure S-5 Pg. 6-27
Is historical data on wildfires or a reference to where the data can be found, and information about wildfire hazard areas that may be available from the United States Geological Survey, included?	Yes	Figure S-7 Pg. 6-30
Has the general location and distribution of existing and planned uses of land in very high fire hazard severity zones (VHFHSZs) and in state responsibility areas (SRAs), including structures, roads, utilities, and essential public facilities, been identified?	Yes	Figure S-6, Pg. 6-28
Have local, state, and federal agencies with responsibility for fire protection, including special districts and local offices of emergency services, been identified?	Yes	Pg. 6-31 "Fire protection in Yucca Valley is provided by the San Bernardino County Fire Department, which operates one fire station within the Town limits and another in nearby unincorporated Pioneertown. The Town has a partnership with the San Bernardino County Fire Department to provide fire suppression, emergency medical, technical rescue, fire prevention, and related services to the town. The San Bernardino County Fire Department and California Department of Forestry and Fire Protection (CAL FIRE) participate in a Cooperative Fire Response Agreement, where fire agencies have agreed to automatically support each other on incidents using the closest available resource."
Are other fire protection plans, such as Community Wildfire Protection Plans, Local Hazard Mitigation Plans,	Yes	Pg. 6-52 Mutual Aid Agreements "Additional emergency management and response services in Yucca Valley are provided through a mutual-aid

Required Information	Yes or No	Comments and Recommendations
CAL FIRE Unit or Contract County Fire Plans, referenced or incorporated into the Safety Element?		agreement with CAL FIRE and local fire departments. CAL FIRE provides a variety of public safety services, including fire protection, medical aid, rescue, hazardous materials response, and educational safety programs.”
Are residential developments in hazard areas that do not have at least two emergency evacuation routes identified?	Yes	Policy S 4-17, Pg. 6-36 “The Town shall identify existing multifamily housing, emergency shelters, residential care homes (seven or more clients) located within an area classified as a State responsibility Area (California Public Resources Code Section 4102) or land classified as VHFHSZ (Section 51177) with inadequate access/evacuation routes and implement an evacuation plan consisting of evacuation routes and/or shelter-in-place plans.”
Have evacuation routes and their capacity, safety, and viability under a range of emergency scenarios been identified?	Yes	Figure S-8, Pg. 6-53 Policy S 7-5 “Adopt and maintain the evacuation route network, as defined in the Resilient IE project, and ensure emergency evacuation routes are clearly identified with adequate signage throughout the town. The Town will also develop a blueprint for managing evacuation plans, including allocation of buses, designation, and protection of disaster routes to maximize capacity and redundancy, and creation of traffic-control contingencies. The Town will work to ensure that evacuation transportation services are available for those with limited mobility or lacking access to a personal vehicle.”

Is there any other information in the Safety Element regarding fire hazards in SRAs or VHFHSZs?
Yes

## Goals, Policies, Objectives, and Feasible Implementation Measures

The safety element must contain a set of goals, policies, and objectives based on the above information to protect the community from unreasonable risk of wildfire and implementation measures to accomplish those stated goals, policies, and objectives.

*Instructions for this table: Critically examine the submitted safety element and determine if it is adequate to address the jurisdiction's unique fire hazard. Answer YES or NO appropriately for each question below. If the recommendation is irrelevant or unrelated to the jurisdiction's fire hazard, answer N/A. For NO, provide information in the Comments/Recommendations section to help the jurisdiction incorporate that change into their safety element revision. This information may utilize example recommendations from Sample Safety Element Recommendations and Fire Hazard Planning in Other Elements of the General Plan below, may indicate how high of a priority this recommendation is for a jurisdiction, or may include other jurisdiction-specific information or recommendations.*

Section 1 Avoiding or minimizing the wildfire hazards associated with new uses of land		
Questions	Yes or No	Comments and Recommendations
Does local ordinance require development standards that meet or exceed title 14, CCR, division 1.5, chapter 7, subchapter 2, articles 1-5 (commencing with section 1270) ( <b>SRA Fire Safe Regulations</b> ) and title 14, CCR, division 1.5, chapter 7, subchapter 3, article 3 (commencing with section 1299.01) ( <b>Fire Hazard Reduction Around Buildings and Structures Regulations</b> ) for SRAs and/or VHFHSZs?	Yes	Policy S 4-6, Pg. 6-34 "Enforce fire standards and regulations in accordance with the California Building Code, the California Fire Code, California Public Resources Code, Town Municipal Code for building and landscaping, and the San Bernardino County Fire Department regulations for all new development."
Are there goals and policies to avoid or minimize new residential development in VHFHSZs?	Yes	Policy S 4-7, Pg. 6-35 "Require proposed development in Very High Fire Hazard Severity Zones to be located where fire and emergency services are available or will be constructed as part of the proposed development activities."
Has fire safe design been incorporated into future development requirements?	Yes	Policy S 4-9, Pg. 6-35 "Require all new development projects with land classified as Very High Fire Hazard Severity Zones (VHFHSZs; Section 51177) or within areas defined as a wildland-urban interface, to prepare a long-term comprehensive fuel reduction and management program, including provisions for multiple points of ingress and egress to improve evacuation and emergency response access and adequate water infrastructure for water supply and fire flow, and fire equipment access."
Are new essential public facilities located outside high fire risk areas, such as VHFHSZs, when feasible?	Yes	Policy S 4-10, Pg. 6-35 "Locate new critical public facilities outside of Fire Hazard Severity Zones. Critical facilities include emergency shelters, emergency command and communication facilities,

Questions	Yes or No	Comments and Recommendations
		and hospital and healthcare centers. If no feasible alternative site exists, ensure that these facilities incorporate all necessary protections to allow them to continue to serve community needs during and after disaster events.”
Are there plans or actions identified to mitigate existing non-conforming development to contemporary fire safe standards, in terms of road standards and vegetative hazard?	Yes	Policy S 4-14, Pg. 6-36 “For existing non-conforming development, the Town shall work with property owners to improve or mitigate access, water supply and fire flow, signing, and vegetation clearance to meet current State and/or locally adopted fire safety standards.”
Does the plan include policies to evaluate re-development after a large fire?	Yes	Policy S 4-15, Pg. 6-36 “Develop programs and provide updates, as appropriate, that ensure recovery and redevelopment after a large fire reduces future vulnerabilities to fire hazard risks through site preparation, redevelopment layout design, fire resistant landscape planning, and fire retarding building design and materials.”
Is fuel modification around homes and subdivisions required for new development in SRAs or VHFHSZs?	Yes	Policy S 4-12, Pg. 6-35 “Require project-specific fire-prevention plans and fuel modification around homes and subdivisions in areas of Very High Fire Hazard Severity Zones.”
Are fire protection plans required for new development in VHFHSZs?	Yes	Policy S 4-12, Pg. 6-36 “Require project-specific fire-prevention plans in areas of Very High Fire Hazard Severity Zones.”
Does the plan address long term maintenance of fire hazard reduction projects, including community fire breaks and private road and public road clearance?	Yes	Policy S 4-8 Pg. 6-35 “Require that conceptual landscaping plans for development in Very Fire Hazard Severity Zones identified by CAL FIRE and shown in Figure 6 be reviewed by Planning and Fire Departments prior to the issuance of development permits. The conceptual landscaping plan of the proposed development shall, at a minimum, include: (1) Site plan, planting plan, planting palette, and irrigation plan to reduce the risk of fire hazards with consideration to site conditions, including slope, structures, and adjacencies. (2) Defensible space maintenance plan.

Questions	Yes or No	Comments and Recommendations
		(3) Provision of multiple points of ingress and egress to improve evacuation and emergency response access and adequate water infrastructure for water supply and fire flow, and fire equipment access.”
Is there adequate access (ingress, egress) to new development in VHFHSZs?	Yes	Policy S 4-9, Pg. 6-35 “Require all new development projects with land classified as Very High Fire Hazard Severity Zones (VHFHSZs; Section 51177) or within areas defined as a wildland-urban interface, to prepare a long-term comprehensive fuel reduction and management program, including provisions for multiple points of ingress and egress to improve evacuation and emergency response access and adequate water infrastructure for water supply and fire flow, and fire equipment access.”
Are minimum standards for evacuation of residential areas in VHFHSZs defined?	Yes	Policy S 4-9, Pg. 6-35 “Require all new development projects with land classified as Very High Fire Hazard Severity Zones (VHFHSZs; Section 51177) or within areas defined as a wildland-urban interface, to prepare a long-term comprehensive fuel reduction and management program, including provisions for multiple points of ingress and egress to improve evacuation and emergency response access and adequate water infrastructure for water supply and fire flow, and fire equipment access Recommend a policy/goal addressing minimum standards for evacuation of residential areas in VHFHSZs be defined.”
If areas exist with inadequate access/evacuation routes, are they identified? Are mitigation measures or improvement plans identified?	Yes	Policy S 4-17, Pg. 6-36 “The Town shall identify existing multifamily housing, emergency shelters, residential care homes (seven or more clients) located within an area classified as a State responsibility Area (California Public Resources Code Section 4102) or land classified as VHFHSZ (Section 51177) with inadequate access/evacuation routes and implement an evacuation plan consisting of evacuation routes and/or shelter-in-place plans.”

Questions	Yes or No	Comments and Recommendations
<p>Are there policies or programs promoting public outreach about defensible space or evacuation routes? Are there specific plans to reach at-risk populations?</p>	<p>Yes</p>	<p>Policy S 4-2, Pg. 6-34 “Coordinate with San Bernardino County Fire Protection District to implement a long-term fire protection training program and continue public education efforts to inform the community of wildland and urban fire hazards, evacuation routes, and ways to minimize damage caused by fires such as through defensible space. The Town shall identify and map at-risk populations within the community and prioritize public outreach, as well as fire education and training among these populations.”</p>
<p>Does the plan identify future water supply for fire suppression needs?</p>	<p>Yes</p>	<p>Policy S 4-3, Pg. 6-34 “Coordinate with the Hi-Desert Water District and Mojave Water Agency to maintain adequate water supply. Identify areas lacking adequate water service for firefighting, including capacity for peak load under a reasonable worst-case wildland fire scenario determined by San Bernardino County Fire Department. The Town shall identify areas lacking adequate water service, including areas where future development may occur.”</p>
<p>Does new development have adequate fire protection?</p>	<p>Yes</p>	<p>Policy S 4-2, Pg. 6-34 “Coordinate with San Bernardino County Fire Department to implement a long-term fire protection training program and continue public education efforts to inform the community of wildland and urban fire hazards and ways to minimize damage caused by fires.”  Policy S 4-3 Coordinate with the San Bernardino County Fire Protection District to ensure that the district has appropriate municipal staffing and Office of the Fire Marshal staff to address development pressure and adequately respond to long-range fire safety planning. (Pg. 6-33)  Policy S 4-7 Require proposed development in Very High Fire Hazard Severity Zones to be located where fire and emergency services are available or</p>

Questions	Yes or No	Comments and Recommendations
		will be constructed as part of the proposed development activities. (Pg. 6-35).

## Section 2 Develop adequate infrastructure if a new development is located in SRAs or VHFHSZs.

Does the plan identify adequate infrastructure for new development related to:	Yes or No	Comments and Recommendations
Water supply and fire flow?	Yes	Policy S 4-9, Pg. 6-35 "Require all new development projects with land classified as Very High Fire Hazard Severity Zones (VHFHSZs; Section 51177) or within areas defined as a wildland-urban interface, to prepare a long-term comprehensive fuel reduction and management program, including provisions for multiple points of ingress and egress to improve evacuation and emergency response access and adequate water infrastructure for water supply and fire flow, and fire equipment access."
Location of anticipated water supply?	Yes	Policy S 4-3, Pg. 6-34 "Coordinate with the Hi-Desert Water District and Mojave Water Agency to maintain adequate water supply. Identify areas lacking adequate water service for firefighting, including capacity for peak load under a reasonable worst-case wildland fire scenario determined by San Bernardino County Fire Department. The Town shall identify areas lacking adequate water service, including areas where future development may occur."
Maintenance and long-term integrity of water supplies?	Yes	Policy S 4-3, Pg. 6-34 "Coordinate with the Hi-Desert Water District and Mojave Water Agency to maintain adequate water supply. Identify areas lacking adequate water service for firefighting, including capacity for peak load under a reasonable worst-case wildland fire scenario determined by San Bernardino County Fire Department. The Town shall

Does the plan identify adequate infrastructure for new development related to:	Yes or No	Comments and Recommendations
		identify areas lacking adequate water service, including areas where future development may occur.”
Evacuation and emergency vehicle access?	Yes	Policy S 4-8, Pg. 6-35 “(3) Provision of multiple points of ingress and egress to improve evacuation and emergency response access and adequate water infrastructure for water supply and fire flow, and fire equipment access.”
Fuel modification and defensible space?	Yes	Policy S 4-8, Pg. 6-35 “(2) Defensible space maintenance plan.” Policy S 4-13, Pg. 6-36 “Monitor fire-prevention measures (e.g., fuel reduction, fire breaks, etc.) required through project-specific fire-prevention plan to reduce long-term fire risks in Very High Fire Hazard Severity Zones.”
Vegetation clearance maintenance on public and private roads?	Yes	Policy S 4-16, Pg. 6-36 “The Town shall work with CAL FIRE to maintain existing fuel breaks, vegetation clearance, and emergency access routes for effective fire suppression on public and private roads.”
Visible home and street addressing and signage?	Yes	Policy S 4-19, Pg. 6-37 “Support measures that help firefighting crews and emergency response teams respond to fire hazards or work under low-visibility conditions, such as high-visibility street and building address signage.”
Community fire breaks? Is there a discussion of how those fire breaks will be maintained?	Yes	Policy S 4-16, Pg. 6-36 “The Town shall work with CAL FIRE to maintain existing fuel breaks and emergency access routes for effective fire suppression.”

### Section 3 Working cooperatively with public agencies responsible for fire protection.

Question	Yes or No	Comments and Recommendations
Is there a map or description of existing emergency service facilities and areas lacking service, specifically noting any areas in SRAs or VHFHSZs?	Yes	Figure S-5: Fire Hazard Severity Zones, Pg. 6-26.

Question	Yes or No	Comments and Recommendations
Does the plan include an assessment and projection of future emergency service needs?	Yes	<p>Policy S 4-7 Require proposed development in Very High Fire Hazard Severity Zones to be located where fire and emergency services are available or will be constructed as part of the proposed development activities. (Pg. 6-35).</p> <p>Policy S 4-3 Coordinate with the San Bernardino County Fire Protection District to ensure that the District has appropriate municipal staffing and Office of the Fire Marshal staff to address development pressure and adequately respond to long-range fire safety planning. (Pg. 6-34).</p>
Are goals or standards for emergency services training described?	Yes	<p>Policy S 4-2, Pg. 6-34 “Coordinate with San Bernardino County Fire Department to implement a long-term fire protection training program and continue public education efforts to inform the community of wildland and urban fire hazards and ways to minimize damage caused by fires.”</p>
Does the plan outline inter-agency preparedness coordination and mutual aid multi-agency agreements?	Yes	<p>Pg. 6-52 Mutual -Aid Agreements “Additional emergency management and response services in Yucca Valley are provided through a mutual-aid agreement with CAL FIRE and local fire departments. CAL FIRE provides a variety of public safety services, including fire protection, medical aid, rescue, hazardous materials response, and educational safety programs.”</p>

## Sample Safety Element Recommendations

These are examples of specific policies, objectives, or implementation measures that may be used to meet the intent of Government Code sections 65302, subdivision (g)(3) and 65302.5, subdivision (b). Safety element reviewers may make recommendations that are not included here.

### A. MAPS, PLANS AND HISTORICAL INFORMATION

1. Include or reference CAL FIRE Fire Hazard Severity Zone maps or locally adopted wildfire hazard zones.
2. Include or reference the location of historical information on wildfires in the planning area.
3. Include a map or description of the location of existing and planned land uses in SRAs and VHFHSZs, particularly habitable structures, roads, utilities, and essential public facilities.
4. Identify or reference a fire plan that is relevant to the geographic scope of the general plan, including the Unit/Contract County Fire Plan, Local Hazard Mitigation Plan, and any applicable Community Wildfire Protection Plans.
5. Align the goals, policies, objectives, and implementation measures for fire hazard mitigation in the safety element with those in existing fire plans, or make plans to update fire plans to match the safety element.
6. Create a fire plan for the planning area.

### B. LAND USE

1. Develop fire safe development codes to use as standards for fire protection for new development in SRAs or VHFHSZs that meet or exceed the statewide minimums in the SRA Fire Safe Regulations.
2. Adopt and have certified by the Board of Forestry and Fire Protection local ordinances which meet or exceed the minimum statewide standards in the SRA Fire Safe Regulations.
3. Identify existing development that do not meet or exceed the SRA Fire Safe Regulations or certified local ordinances.
4. Develop mitigation measures for existing development that does not meet or exceed the SRA Fire Safe Regulations or certified local ordinances or identify a policy to do so.

### C. FUEL MODIFICATION

1. Develop a policy to communicate vegetation clearance requirements to seasonal, absent, or vacation rental owners.
2. Identify a policy for the ongoing maintenance of vegetation clearance on public and private roads.
3. Include fuel breaks in the layout/siting of subdivisions.
4. Identify a policy for the ongoing maintenance of existing or proposed fuel breaks.
5. Identify and/or map existing development that does not conform to current state and/or locally adopted fire safety standards for access, water supply and fire flow, signing, and vegetation clearance in SRAs or VHFHSZs.
6. Identify plans and actions for existing non-conforming development to be improved or mitigated to meet current state and/or locally adopted fire safety standards for access, water supply and fire flow, signing, and vegetation clearance.

## D. ACCESS

1. Develop a policy that approval of parcel maps and tentative maps in SRAs or VHFHSZs is conditional based on meeting the SRA Fire Safe Regulations and the Fire Hazard Reduction Around Buildings and Structures Regulations, particularly those regarding road standards for ingress, egress, and fire equipment access. (See Gov. Code, § 66474.02.)
2. Develop a policy that development will be prioritized in areas with an adequate road network and associated infrastructure.
3. Identify multi-family housing, group homes, or other community housing in SRAs or VHFHSZs and develop a policy to create evacuation or shelter in place plans.
4. Include a policy to develop pre-plans for fire risk areas that address civilian evacuation and to effectively communicate those plans.
5. Identify road networks in SRAs or VHFHSZs that do not meet title 14, CCR, division 1.5, chapter 7, subchapter 2, articles 2 and 3 (commencing with section 1273.00) or certified local ordinance and develop a policy to examine possible mitigations.

## E. FIRE PROTECTION

1. Develop a policy that development will be prioritized in areas with adequate water supply infrastructure.
2. Plan for the ongoing maintenance and long-term integrity of planned and existing water supply infrastructure.
3. Map existing emergency service facilities and note any areas lacking service, especially in SRAs or VHFHSZs.
4. Project future emergency service needs for the planned land uses.
5. Include information about emergency service trainings or standards and plans to meet or maintain them.
6. Include information about inter-agency preparedness coordination or mutual aid agreements.

## **Fire Hazard Planning in Other Elements of the General Plan**

When updating the General Plan, here are some ways to incorporate fire hazard planning into other elements. Wildfire safety is best accomplished by holistic, strategic fire planning that takes advantage of opportunities to align priorities and implementation measures within and across plans.

### **LAND USE ELEMENT**

Goals and policies include mitigation of fire hazard for future development or limit development in very high fire hazard severity zones.

Disclose wildland urban-interface hazards, including fire hazard severity zones, and/or other vulnerable areas as determined by CAL FIRE or local fire agency.

Design and locate new development to provide adequate infrastructure for the safe ingress of emergency response vehicles and simultaneously allow citizen egress during emergencies.

Describe or map any Firewise Communities or other fire safe communities as determined by the National Fire Protection Association, Fire Safe Council, or other organization.

### **HOUSING ELEMENT**

Incorporation of current fire safe building codes.

Identify and mitigate substandard fire safe housing and neighborhoods relative to fire hazard severity zones.

Consider diverse occupancies and their effects on wildfire protection (group housing, seasonal populations, transit-dependent, etc).

### **OPEN SPACE AND CONSERVATION ELEMENTS**

Identify critical natural resource values relative to fire hazard severity zones.

Include resource management activities to enhance protection of open space and natural resource values.

Integrate open space into fire safety planning and effectiveness.

Mitigation for unique pest, disease and other forest health issues leading to hazardous situations.

### **CIRCULATION ELEMENT**

Provide adequate access to very high fire hazard severity zones.

Develop standards for evacuation of residential areas in very high fire hazard severity zones.

Incorporate a policy that provides for a fuel reduction maintenance program along roadways.